

Pooltest 3 Photometer

- Pooltest 3, soft case (SPS003D)
- Pooltest 3, soft case, extended range (SPS003X)
- Pooltest 3, hard case (SPH003D)
- Pooltest 3, hard case, extended range (SPH003X)



The Pooltest 3 provides digital results for the three key parameters for pool disinfection control - chlorine, pH and cyanuric acid:

- Colorimetric analysis giving accurate and fast digital results
- Waterproof with a large backlit LCD screen
- Easy-to-use four button operation.

Instrument Type	Dual light source colorimeter offering direct-reading of pre-programmed test calibrations
Peak Wavelengths	530 nm, 575 nm
Accuracy	± 1.0% T
Display	128 x 64 pixel LCD with backlight
User Interface	Language-free interface with four function keys
Size (W x L x H) and Weight	150 x 65 x 42 mm, 200 g
IP Rating	IP67
Power Supply	2x 1.5V AA batteries
Memory Capacity	Last 10 results. Blank value held in memory until power off or new blank recorded

Additional Information

	SPS003D (soft case)	SPS003X (soft case) (ext range)	SPH003D (hard case)	SPH003X (hard case) (extt range)
Pooltest 3 instrument	✓	✓	✓	✓
Instructions	✓	✓	✓	✓
Crush/stir rods (x4)	✓	✓	✓	✓
Cuvette brush	✓	✓	✓	✓
Cuvettes	2	2	4	4
DPD 1 (0 - 5 ppm)	30		100	
DPD 3 (0 - 5 ppm)	30		100	
DPD XF (0 - 10 ppm)		30		100
DPD XT (0 - 10 ppm)		30		100
pH phenol red	20	20	100	100
Cyanuric acid	20	20	100	100
Soft carry case	✓	✓		
Hard carry case			✓	✓